



FOTILE

A BREATH OF FRESH ENGINEERING®

30-inch Kitchen Package

us.fotileglobal.com



Range Hood

JQG7507-Y

30" Under-Cabinet / Wall Mount Ducted
Prestige Performance Slant Vent™ Series
*Available in 30" and 36"

29 7/8"W x 18 7/16"D x 17 7/16"H | 120V/3A

- Motion Activation
- 4 speed settings
- DC Motor w/ Max EQUIV. 1100CFM

UQG3002

30" Under-Cabinet Ducted / Convertible
Pixie Air Series
*Available in 30" and 36"

29 13/16"W x 22 1/16"D x 8 5/16"H | 120V/60Hz

- Motion Activation
- 38dB Minimum Noise Level
- Intelligent Air Management System

Range

RES30552

30" Slide-in FreshBake™
Electric Range

29 15/16"W x 30 3/16"D x 35 7/8"H | 240V/40A

- 5 Burners w/ 3600W High Heat
- Eliminates 90% of Odor & Grease
- QuadraShield™ 4-Layer Glass Door

Cooktop

GLS30501

30" Tri-Ring Gas Cooktop
*Available in 30" and 36"

30"W x 21"D x 5 1/4"H | 120V/60Hz

- 21,000 BTU Center Burner
- Flame Failure Detection Safety Device
- Wok Ring Included

Oven

SCD42-C2T

24" Built-in Steam Oven
*Convection and Combi-Steam Oven
Versions Available

23 7/16"W x 20 1/4"D x 17 15/16"H | 240V/1

- 1.5 Cu. Ft. Capacity
- Dynamic Steam Convection Technology
- 100% Fresh Steam
- 8 Preset Modes for Ease of Use
- Easy to Clean
- Touch Operation



Apartment / Condo



Single-Family Residences

FOTILE


A BREATH OF FRESH ENGINEERING®



DISHWASHING REDEFINED

NEW MODELS COMING IN 2022

COUNTERTOP BUILT-IN DISHWASHER+PRODUCE CLEANER




MODEL: SD2F-P5*




MODEL:

Designed for Modern and Convenient Living in *Compact Spaces*

This countertop built-in dishwasher offers easy access and five heated washing cycles. Advanced cleaning technology eliminates 99.99% of bacteria and provides thorough sanitation. Upgrade your kitchen with the convenient and efficient FOTILE Dishwasher!



MODEL: SD2F-P3



MODEL: SD2F-P5*



MODEL: S1*



Kitchen Sink



Dishwasher



Kitchen Sink



Dishwasher



Produce/Seafood
Cleaner



Dishwasher



Produce/Seafood
Cleaner

Media Inquiries: marketing@fotile.com
Become a Dealer: salesusa@fotile.com

6 Campus Dr, Suite 210, Parsippany, NJ 07054
888-315-0366 | us.fotileglobal.com



SD2F-P5*

S1*

Model

Product Dimensions
(WxHxD)(inch)

34 3/4 x 21 11/16 x 19 15/16

19 11/16 X 21 11/16 X 19 15/16

Built-in Dimensions
(WxHxD)(inch)

33 11/16 x ≥25 x 18 15/16

18 5/8 x ≥25 x 18 15/16

Height of the Door
(inch)

16 3/8 (Fully open)

Operation

Touchscreen

Power Supply(Hard Wired)

120V/60Hz

Produce & Dish
Washing Mode

Delicate / Normal / Intensive

Dish Washing

15 min / 45 min / 80 min


Produce Washing

7 min / 12 min / 15 min

INSTALLATION EXAMPLES*



Individual Installation
Island Adaptable




Replace Under Counter Dishwasher
Free Up Cabinet Space




Secondary Installation
Compact with More Capacity

PRODUCT DIMENSIONS

Back View



SD2F-P5



S1

*Final product features and appearance are subject to change upon product release.

INDUSTRY LEADING 5-YEAR LIMITED WARRANTY



RANGE HOODS:

Parts	Labor	Motor
5-YEAR (LIMITED)	2-YEAR	LIFETIME GUARANTEE (LIMITED)



COOKTOPS:

Parts	Labor
5-YEAR (LIMITED)	1-YEAR



DISHWASHERS:

Parts	Labor
5-YEAR (LIMITED)	2-YEAR



OVENS & STEAM OVENS:

Parts	Labor
1-YEAR	1-YEAR



STEAM-COMBI OVENS:

Parts	Labor
1-YEAR	1-YEAR



SLIDE-IN RANGE:

Parts	Labor
3-YEAR (LIMITED)	1-YEAR

*1-year limited parts warranty on 12" Cooktop; 2-year limited parts warranty, 1-year labor warranty on Built-in Front Load Dishwasher.

FOTILE

A BREATH OF FRESH ENGINEERING®

Cooktop



Tri-Ring Series


EPS Series

Domino Series

Model	GLS30501	GLS36502	GLG30301	GLG30401	GLG36501	GAG76202	EIG30102 (Induction)	EEG30101 (Electric)
Retail Price	\$1,399	\$1,499	\$1,399	\$1,449	\$1,549	\$949	\$799	\$649
Panel Material	Stainless Steel	Stainless Steel	Tempered Glass	Tempered Glass	Tempered Glass	Tempered Glass	SCHOTT Ceramic Glass	
Product Dimensions (WxDxH) (inch)	30 x 21 x 5 1/4	35 x 21 x 6	30 x 21 x 6 5/16	30 x 21 x 6 5/16	36 x 21 x 6 5/16	29 15/16 x 17 9/16 x 6 3/16	12 5/8 x 17 7/8 x 2 3/4	
Cut-Out Dimensions (WxD) (inch)	28 1/2-29 x 19 5/8-20 1/8	33 7/8-35 x 19 1/8-20 1/2	28 1/2 x 19 5/8	28 1/2 x 19 5/8	33 7/8 x 19 1/8	27 7/8 x 15 5/16	11 13/16 x 15 3/4	
Number of Burners	5	5	3	4	5	2	1	
SynCook™*	N	N	Y	Y	Y	N	N	
Heating Load (BTU) /Wattage	LR: 13K LF: 13K C: 21K RR: 3K RF: 6K	LR: 6K LF: 13K C: 22K RR: 3K RF: 13K	L: 18K C: 5.8K R: 13.2K	L: 18K MR: 5.8K MF: 3K R: 13.2K	L: 18K MR: 13.2K MF: 5.8K RR: 3K RF: 13.2K	L: 14.8K R: 14.8K	100-3200W	120-2400W

*This feature is available with any FOTILE range hood that features SynCook™.

Dishwasher



2-IN-1 In-Sink Dishwasher

3-IN-1 In-Sink Dishwasher

2-IN-1 Top-Load Dishwasher

Built-in Dishwasher

Model	SD2F-P3/P3L	SD2F-P5/P5L	SDIF-S1	BD2B-G2-Y
Retail Price	\$1,299	\$1,699	\$1,199	\$1,299
Product Dimensions (WxDxH) (inch)	35 1/4 X 19 5/16 X 22	34 3/4 X 19 15/16 X 21 11/16	20 9/16 X 20 7/8 X 21 11/16	23 9/16 X 24 1/8 X 33 7/8-35 1/16
Height of the Door When Fully Open (inch)	16 3/8	17 1/2	17 1/2	44 1/8
Built-in Dimensions (WxDxH) (inch)	33 11/16 x 18 1/8 x ≥25	33 11/16 x 18 15/16 x ≥25	19 3/8 x 18 15/16 x ≥25	≥23 5/8 x ≥22 11/16 x 34 1/16-35 1/4
Operation	Touchscreen	Touchscreen	Touchscreen	Touchscreen
Washing Mode	Dish Washing	Dish Washing	Produce Washing & Delicate	Dish Washing
Highest Washing Temperature (°F)	122	158	140	167
Washing Time (min)	20	45	80	180
Water Consumption (gal/cycle)	1.85	2.5	3.17	1.85

Combi Oven



Built-in Steam-Combi Oven

Model	HZK-TS1	HZK-TS1-Y	ChefCubii
Retail Price	\$2,199	\$2,299	\$599
Product Dimensions (WxDxH) (inch)	23 7/16 x 18 x 21 5/16	23 7/16 x 18 x 21 5/16	17 13/16 x 14 x 18 7/8
Built-in Dimensions (WxDxH) (inch)	Standard Installation 22 1/16 x 17 3/4 x (≥21 11/16) Flush Installation 23 9/16 x 18 1/8 x (≥21 11/16)		/
Capacity (cu. ft.)	1.5	52	40
Preset Modes	86-446	3660	1550
Temperature Range (°F)			
Power(W)			
Accessories Included	Cooking pan *1 Tray *1		Glove *1, Grill Rack *1, Bake Tray *1, Steam Tray *1, Humidity-Controlled Chip *1

Oven



Convection Oven

Model	KSS7002A	KSG7003A	SCD42-F1	SCD42-C2T
Retail Price	\$1,849	\$2,099	\$1,649	\$1,849
Product Dimensions (WxDxH) (inch)	23 7/16 x 23 7/16 x 21 3/4	23 7/16 x 23 7/16 x 21 3/4	23 7/16 x 17 15/16 x 20 1/4	
Built-in Dimensions (WxDxH) (inch)	Standard Installation 22 1/16 x 23 1/4 x (≥21 11/16) Flush Installation 23 9/16 x 23 9/16 x (≥22 7/8)		Standard Installation 22 1/16 x 17 3/4 x (≥21 11/16) Flush Installation 23 9/16 x 18 1/8 x (≥21 11/16)	
Capacity (cu. ft.)	2.5	10	1.5	6.8
Preset Modes	104-482	3800	86-212	2400
Temperature Range (°F)				
Power(W)				
Accessories Included	Grill and Tray		Perforated cooking pan *1 Steaming tray *1	

FOTILE

A BREATH OF FRESH ENGINEERING®

Range Hood

Indicates a
US Patented Design



Pixie Air Series

Slant Vent Series

Perimeter Vent Series

Insert

Island

Model	UQS3001	UQG3002	UQG3602	JQG7505	JQG9006	JQG7507	JQG9007	JQG7501	EMS6008-CR	EMG7508	EMG9008S	EMS9026	EMG9050	BIG3610	EA06C
Retail Price	\$1,099	\$1,299	\$1,499	● \$1,549 ● \$1,599	● \$1,749 ● \$1,799	● \$1,599 ● \$1,649 ● \$1,699	● \$1,799 ● \$1,849 ● \$1,899	● \$1,299	\$1,149	\$1,499	\$1,749	\$1,849	\$2,599	\$2,999	\$4,999
Width(Inch)	30	30	36	30	36	30	36	30	24	30	36	36	36	36	42
MAX. CFM EQUIV.	800*			1000		1100		850	850	1200		1000	1300	1200	1200
Motor	Dual AC Motors	Dual AC Motors	Dual AC Motors	Dual DC Motors	Dual DC Motors	Dual DC Motors	Dual DC Motors	Dual AC Motors	DC Motor	DC Motor	DC Motor	AC Motor	DC Motor	DC Motor	DC Motor
Noise Level(dB)	38-51	38-56		38-56.5		38.5-57		39-54	44-58	37-57		40.5-57	34-54	34-53	41-55
Operation	Push Buttons	Motion Activation + Touchscreen		Motion Activation + Touchscreen		Motion Activation + Touchscreen		Touchscreen	Motion Activation + Touchscreen	Motion Activation + Touchscreen		Touchscreen	Motion Activation + Touchscreen	Motion Activation + Touchscreen	Touchscreen
SynCook™*	N	N	N	N	N	Y		N	N	N	N	N	Y	Y	N
Speed Setting	3	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	3	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	2 + Auto Turbo Mode	2 + Auto Turbo Mode	2 + Auto Turbo Mode	3	2 + Auto Turbo Mode
Installation Type	Under Cabinet	Under Cabinet	Under Cabinet	Under Cabinet/ Wall Mount	Under Cabinet/ Wall Mount	Under Cabinet/ Wall Mount	Under Cabinet/ Wall Mount	Under Cabinet/ Wall Mount	Wall Mount	Wall Mount	Wall Mount	Wall Mount	Wall Mount	Wall Mount	Island
Venting Type	Convertible & Ductless	Convertible & Ductless		Ducted	Ducted	Ducted	Ducted	Ducted	Recirculation	Ducted	Ducted	Ducted	Ducted	Ducted	Ducted
Delay Shutoff	/	5/15/30 Min.		2 Min.		5 Min.		2 Min.	5 Min.	2 Min.	2 Min.	2 Min.	5 Min.	5 Min.	2 Min.
Cleaning Method	Dishwasher Safe One-Piece Plate & Grease Tray	Dishwasher Safe One-Piece Plate & Grease Tray	Dishwasher Safe One-Piece Plate & Grease Tray	Dishwasher Safe Filter & Grease Tray	Dishwasher Safe Filter & Grease Tray	Dishwasher Safe Filter & Grease Tray	Dishwasher Safe Filter & Grease Tray	Dishwasher Safe Grease Tray	Dishwasher Safe One-Piece Plate & Grease Tray	Dishwasher Safe One-Piece Plate & Grease Tray	Dishwasher Safe One-Piece Plate & Grease Tray	Dishwasher Safe Plate & Grease Tray	Dishwasher Safe Plate & Grease Tray	Dishwasher Safe Filter & Grease Tray	Dishwasher Safe Filter & Grease Tray



- Unique Whisper System provides powerful ventilation with a noise level of 38 dB min.
- 3.0 Capture-shield technology utilizes Coanda Effect to effectively absorb smoke
- Intelligent Air Management System

- 98.7 odor reduction & 95.2 grease separation
- 4-5 Burner coverage (5-6 burner coverage for 36in range hoods)
- 90° Automatic open, capture-shield reduces cooking smoke from spreading

- Capture-shield technology for fast ventilation
- Auto turbo system with maximum extraction capacity
- Auto-adjusts speed and height settings based on the volume of smoke and odors(EMG9050 Only)

- Built-in design
- Auto-lifting
- Closer proximity to the cooktop with direct ventilation

- Dual-sides capture-shield, automatically open to 55° for expanded coverage

*This feature is available with any FOTILE cooktop that features SynCook™.

Slide-In Range



Model	RES30552	RES30551	Model	RES30552	RES30551
Retail Price	\$3,699	\$3,299	5 Burners	Tri-ring	5 Burners
Width(Inch)	30		Dual-ring		Dual-ring
Oven Capacity	5.7 cu. ft.		Single		Single
Oven Functions	9		Warming		Warming
Accessories Included	Glide*1, Air fry tray*1, Rack*2	Glide*1, Air fry tray*1, Rack*1			



NEW

- One-Touch All Lock
- Autostart with SynCook™
- Residual Heat Indicator
- QuadraShield™ 4-Layer Glass Oven Door, with 2 Low-E Glass
- Self Clean & Steam Clean

RF: 12" / 9" / 6" / 3.6kW / 2.3kW / 1.2kW
LF: 10" / 6" / 3.0kW / 1.8kW
LR & RR: 6" 1.2kW

M: 6" 100W

FOTILE

A BREATH OF FRESH ENGINEERING®

Range Hood

Indicates a
US Patented Design



Pixie Air Series

Slant Vent Series

Perimeter Vent Series

Insert

Island

Model	UQS3001	UQG3002	UQG3602	JQG7505	JQG9006	JQG7507	JQG9007	JQG7501	EMS6008-CR	EMG7508	EMG9008S	EMS9026	EMG9050	BIG3610	EA06C
Retail Price	\$1,099	\$1,299	\$1,499	● \$1,549 ● \$1,599	● \$1,749 ● \$1,799	● \$1,599 ● \$1,649 ● \$1,699	● \$1,799 ● \$1,849 ● \$1,899	● \$1,299	\$1,149	\$1,499	\$1,749	\$1,849	\$2,599	\$2,999	\$4,999
Width(Inch)	30	30	36	30	36	30	36	30	24	30	36	36	36	36	42
MAX. CFM EQUIV.	800*			1000		1100		850	850	1200		1000	1300	1200	1200
Motor	Dual AC Motors	Dual AC Motors	Dual AC Motors	Dual DC Motors	Dual DC Motors	Dual DC Motors	Dual DC Motors	Dual AC Motors	DC Motor	DC Motor	DC Motor	AC Motor	DC Motor	DC Motor	DC Motor
Noise Level(dB)	38-51	38-56		38-56.5		38.5-57		39-54	44-58	37-57	40.5-57		34-54	34-53	41-55
Operation	Push Buttons	Motion Activation + Touchscreen		Motion Activation + Touchscreen		Motion Activation + Touchscreen		Touchscreen	Motion Activation + Touchscreen	Motion Activation + Touchscreen		Touchscreen	Motion Activation + Touchscreen	Motion Activation + Touchscreen	Touchscreen
SynCook™*	N	N	N	N	N	Y		N	N	N	N	N	Y	Y	N
Speed Setting	3	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	3	4 w/ Stir-fry Mode	4 w/ Stir-fry Mode	2 + Auto Turbo Mode	2 + Auto Turbo Mode	2 + Auto Turbo Mode	3	2 + Auto Turbo Mode
Installation Type	Under Cabinet	Under Cabinet	Under Cabinet	Under Cabinet/ Wall Mount	Under Cabinet/ Wall Mount	Under Cabinet/ Wall Mount	Under Cabinet/ Wall Mount	Under Cabinet/ Wall Mount	Wall Mount	Wall Mount	Wall Mount	Wall Mount	Wall Mount	Wall Mount	Island
Venting Type	Convertible & Ductless	Convertible & Ductless		Ducted	Ducted	Ducted	Ducted	Ducted	Recirculation	Ducted	Ducted	Ducted	Ducted	Ducted	Ducted
Delay Shutoff	/	5/15/30 Min.		2 Min.		5 Min.		2 Min.	5 Min.	2 Min.	2 Min.	2 Min.	5 Min.	5 Min.	2 Min.
Cleaning Method	Dishwasher Safe One-Piece Plate & Grease Tray	Dishwasher Safe One-Piece Plate & Grease Tray	Dishwasher Safe One-Piece Plate & Grease Tray	Dishwasher Safe Filter & Grease Tray	Dishwasher Safe Filter & Grease Tray	Dishwasher Safe Filter & Grease Tray	Dishwasher Safe Filter & Grease Tray	Dishwasher Safe Grease Tray	Dishwasher Safe One-Piece Plate & Grease Tray	Dishwasher Safe One-Piece Plate & Grease Tray	Dishwasher Safe Plate & Grease Tray	Dishwasher Safe Plate & Grease Tray	Dishwasher Safe Plate & Grease Tray	Dishwasher Safe Filter & Grease Tray	Dishwasher Safe Filter & Grease Tray



- Unique Whisper System provides powerful ventilation with a noise level of 38 dB min.
- 3.0 Capture-shield technology utilizes Coanda Effect to effectively absorb smoke
- Intelligent Air Management System

- 98.7 odor reduction & 95.2 grease separation
- 4-5 Burner coverage (5-6 burner coverage for 36in range hoods)
- 90° Automatic open, capture-shield reduces cooking smoke from spreading

- Capture-shield technology for fast ventilation
- Auto turbo system with maximum extraction capacity
- Auto-adjusts speed and height settings based on the volume of smoke and odors(EMG9050 Only)

- Built-in design
- Auto-lifting
- Closer proximity to the cooktop with direct ventilation

- Dual sides capture-shield, automatically open to 55° for expanded coverage

*This feature is available with any FOTILE cooktop that features SynCook™.

Slide-In Range



Model	RES30552	RES30551	Model	RES30552	RES30551
Retail Price	\$3,699	\$3,299	Tri-ring	RF: 12" / 9" / 6" / 3.6kW/2.3kW/1.2kW	/
Width(Inch)	30		5 Burners	RF: 10" / 6" / 3.0kW/1.8kW	LF: 10" / 6" / 3.0kW/1.8kW
Oven Capacity	5.7 cu. ft.		Dual-ring	LR & RR: 6" 1.2kW	
Oven Functions	9		Single		
Accessories Included	Glide*1, Air fry tray*1, Rack*2	Glide*1, Air fry tray*1, Rack*1	Warming		

- One-Touch All Lock
- Autostart with SynCook™
- Residual Heat Indicator
- QuadraShield™ 4-Layer Glass Oven Door, with 2 Low-E Glass
- Self Clean & Steam Clean



NEW